

ClearOne®

COLLABORATE® VERSA™ Pro 160



ClearOne® Contacts

Headquarters

5225 Wiley Post Way Suite 600
Salt Lake City, UT 84116

Sales

Tel: +1.801.975.7200
sales@clearone.com

Headquarters

Tel: +1.801.975-7200

Technical Support

Tel: +1.801.974.3760
collaborate.support@clearone.com

Notices

© 2023 ClearOne, Inc. All rights reserved.

Information in this document is subject to change without notice.

Document: QSG-0167-001v1.0 May 2023

Components Included


The COLLABORATE VERSA PRO 160 includes the UNITE™ 160 4K Camera, the CONVERGE Huddle DSP Mixer, a Ceiling Mic Array.

COLLABORATE Versa Pro 160

No	Description	Products
1	<p>910-3200-701:</p> <p>(1)CONVERGE Huddle, (2-4) Terminal Block Connectors, (5) USB 3.0 cable, (6) TRRS cable, (7) Mini COMBICON plug connectors, (8-9) Phillips pan-head screws, (10) Mounting ears kit</p>	
2	<p>910-2100-012</p> <p>UNITE 160 4K camera, power supply, USB 3.0 Cable Type B to Type A, 5ft, and camera remote control</p>	
3	<p>910-001-013-W</p> <p>Ceiling Microphone Array, Includes microphone array, RJ45 to Phoenix adapter, ceiling mounting base, 12” drop-down cable, 24” dropdown cable, 25’plenum rated CAT5e cable</p>	
4	<p>910-3200-202</p> <p>POE POWER SUPPLY KIT, Includes 1 x 36 Watt PoE+ Injector, 2 x 25 ft CAT6 cables.</p>	


Connecting USB to Camera

Connect the UNITE 160 camera to a USB 3.0 port on the CONVERGE Huddle.




Connecting Mic to CONVERGE Huddle

Connect the Ceiling Mic Array to a Mic/Line input on the CONVERGE Huddle.




Connecting Display to CONVERGE Huddle

Connect a room display to the HDMI output port on the CONVERGE Huddle.



Connecting Power Supply

Connect the camera to a power supply. Connect the CONVERGE Huddle to a PoE power injector (Midspan), or PoE Ethernet Network Switch (Endspan).




Configuring

To cast a laptop screen onto display via USB 3.0, install the DisplayLink driver (one time installation) on the laptop. Use the CD provided in the package, or download the driver from:

<http://www.displaylink.com/downloads>

 **Note:** If a Windows 10 laptop comes with the DisplayLink driver pre-installed, it does not need to be installed separately. The CONVERGE Huddle has been tested with DisplayLink driver version 8.2.1999.0.

Connect your laptop to the USB 3.0 Type-B input port on the CONVERGE Huddle.



For more detailed information about CONVERGE Huddle, Ceiling Mic Array, and UNITE 160 products, please refer to the appropriate user manual or quick start guide on the ClearOne website:

[Converge Huddle](#)

[Ceiling Mic](#)

[Unite 160 4K](#)