ClearOne.

StreamNet[™] SpeakerLinX SLX300

...Powerfully simple



Get amped

The SLX300 is the most powerful IP-based digital amplifier/zone controller for StreamNet-enabled networks. The perfect amplifier for multi-room streaming audio, the SLX300 combines our easy-to-use control system and the rich, crystal-clear audio you'll only find with ClearOne.







StreamNet™ SpeakerLinX SLX300 ...configure your sound



Powerful

The SLX300 amplifier is a powerful, yet compact addition to the SpeakerLinX line. Perfect for installed AV systems, the SLX300 gives you the power you need for multi-room audio control.

- + Impressive 2x100 amplifier requires only one-half RU of space
- + Built-in, 4-band graphic equalization and 12 selectable DSP presets allow tailoring of audio
- + StreamNet technology ensures audio between all zones is synched within 500 microseconds, preventing any echo effect

Easy control

The strength of the SLX300 is grounded with simple use. Control of your StreamNet-enabled system is always at your fingertips with any browser-enabled device.

- + The built-in web server and browser-based, Flash interface allow you to completely control the zone as if using TouchLinX.
- + Audio port allows a local source to play throughout the zone, or to be distributed throughout the system
- + KeyLinX integration provides a simple, 10-button interface for source selections and control
- + IRLinX can be added to the zone, providing an IR receiver


Compatible

ClearOne's SLX300 is designed for the highest possible level of audio reproduction and longer cable runs without susceptibility to external noise. Flexibility and compatibility of inputs and outputs allow for easy configuration of components

- + Digital crossover for IP-ready speakers provides the highest possible level of audio reproduction.
- + Balanced audio input and output allow for the use of long cables while reducing susceptibility to external noise.
- + StreamNet EIM (Expansion Interface Module) port expands possibilities for external amplifiers and audio sources such as the the BluePort BP200 and the IPD100 iPod Dock
- + SLX300 acts as both source and destination device, streaming both local audio and thousands of vTuner Internet radio streams
- + Acts as a proxy service for ANTHOLOGY media server streams.
- + Multiple mounting options allow choices or rack, wall/surface or under-table mounting



... configure your sound



StreamNet technology

keeps it all in sync

No Signal Degradation - StreamNet does not suffer from signal degradation typical with traditional solutions. With StreamNet, highquality HD audio and video may be run over thousands of feet of existing network cable without loss or degraded video.

Always in Sync - StreamNet perfectly synchronizes zones playing the same content synchronized to less than 1 millisecond. Stream content throughout multiple zones without any echo effect as StreamNet keeps everything flowing smoothly.

Virtually Unlimited Scalability - Unlike traditional solutions, StreamNet does not have limitations to the number of endpoints or their purpose, which makes it highly scalable.

More Uptime - Today's consumers demand crystal clear audio and video wherever they are. If your project mandates reliability and 24/7 up-time during store hours, StreamNet is your answer. Sports Bars and Fast Casual Restaurants require maintenance and service efficiency. StreamNet is the only complete solution available which allows easy provisioning and remote management with no single point of failure. If one endpoint fails, all other continue to operate.

Flexibility - StreamNet technology is capable of handling a diverse mix of sources from iPods to DVD players, satellite receivers or traditional radio. With a StreamNet solution, you can handle every conceivable source which may be required.

Equipment List

Sources:	NS-ANTHOLOGY, VIEW 910-225-031
Amplifiers:	NS-SLX300/910-225-101, NS-SLX300i/910-225-102
Ethernet Switches:	NS-SW524, NS-SW3524, NS-SW3548, NS-SW5524, NS-SW5548
Power Supplies:	910-225-005, NS-PL250
Optional Accessories:	NS-IPD100/NS-IPD100i iPod dock, NS-BP200 BluePort, NS-KL201 Keypad, NS-KL1R IR Receiver, NS-AP500 Audio Port, RS1U Rack Shelf



Take control

Contact us today, and take control of your audio with big power in a compact form factor.

North America

Tel: 801-975-7200 Toll Free: 800-945-7730 TechSales: 1-800-707-6994 Fax: 801-977-0087 sales@clearone.com

Europe & Oceania Tel: +44 (0) 1189 036 053

Tel: +852 3590 4526 global@clearone.com global@clearone.com

Tel: 801-974-3621 global@clearone.com

Middle East Tel: +852 3590 4526 global@clearone.com