

# COLLABORATE® Versa™ Pro 150



Add another dimension to meetings with professional audio and video for your web-conferencing application.

### Professional, crystal-clear audio

Includes ClearOne's CONVERGE® Huddle CTH audio DSP mixer and Ceiling Mic Array for crystal-clear voice clarity and an unrivaled audio experience.

- > One CONVERGE® Huddle CTH audio DSP mixer for a professional audio experience.
- > One Ceiling Microphone Array with 360-degree coverage reducing noise and reverberation.
- > Clutter-free with optional CONVERGE Huddle VESA mount.
- > One UNITE® 150 PTZ HD camera with 1080p30, 12x optical zoom to capture all participants in the room.
- > Now, configure Versa Pro CT directly through the USB port, or use network Ethernet jack.
- > Monitor, control, and audit Versa Pro CT with CONVERGENCE™ unified AV network management software.
- > Complimentary 90-day trial of COLLABORATE Space, our powerful cloud-based video collaboration application with a full suite of audio, video, and meeting tools in a persistent space.



### APPLICATIONS

- BYOD video conferencing
- BYOD audio conferencing
- In-Room presentation

### WORKSPACES

- Mid-sized meeting rooms
- Executive offices


### Enhances Any Cloud-based App

Add pro-quality audio and HD video to your app, such as COLLABORATE Space, Microsoft Teams, Zoom, WebEx, and GoToMeeting.

*Great ideas need to be seen - and heard!™*

Versa Pro 150 using Room PC as a display, with optional ClearOne Ceiling Loudspeakers

### COLLABORATE® Versa Pro 150



**COLLABORATE<sup>®</sup> Versa<sup>™</sup> Pro 150****INCLUDES**

- CONVERGE<sup>®</sup> Huddle CTH
- UNITE<sup>®</sup> 150 USB PTZ HD camera
- Ceiling Mic Array (White)
- PoE Injector Kit

**CONVERGE HUDDLE CTH****INPUTS**

- 3 channel balanced audio mic/line inputs with AEC
- 1 channel balanced audio line input without AEC
- 3.81mm orange-color Phoenix/Euroblock type male header, push-on mini-terminal block

**LINE OUTPUTS**

- 2 channel balanced audio line outputs, 3.81mm black-color Phoenix/Euroblock type male header, push-on mini-terminal block
- 1 USB 3.0 Type-B
- 1 USB 3.0 Type-A
- RJ-45, 10/100/1000Mbps, passthrough to USB-B 3.0

**HDMI RESOLUTIONS**

- 1600 x 1200p @ 60Hz, 4:3 ratio
- 1920 x 1200p @ 60Hz, 16:10 ratio
- 2560 x 1440p @ 60Hz, 16:9 ratio

**UNITE 150 PTZ HD CAMERA**

- Full HD 1080p30
- 73° wide-angle view
- USB 3.0/2.0, Line In
- Remote control, USB (UVC), RS-232
- ±170° pan, -30° to +90° tilt, 12x optical zoom

**CONTROL**

- Remote control, USB (UVC), RS-232

**CEILING MICROPHONE ARRAY****ACOUSTIC CHARACTERISTICS**

- Polar Pattern: Cardioid
- Dynamic Range: 80 dB, 1 kHz @ max SPL
- Signal/Noise Ratio: 60 dBA, 1kHz @ 1Pa
- Frequency Response: 100 Hz - 12kHz
- Sensitivity: 114 mV/Pa

**ELECTRICAL CHARACTERISTICS**

- Element: Fixed-charge back plate permanently polarized condenser
- Phantom Power Requirement: 12-52 vdc, 2 mA typical
- Impedance: 200 Ω

**PART NUMBERS**930-3200-150 COLLABORATE<sup>®</sup> VERSA Pro 150**INCLUDES**

- 910-3200-706 CONVERGE<sup>®</sup> Huddle CTH
- 910-2100-004 UNITE<sup>®</sup> 150 USB PTZ HD camera
- 910-001-013-W Ceiling Mic Array (White)
- 910-3200-202 PoE Injector Kit

**SALES AND INQUIRIES****Headquarters**

5225 Wiley Post Way  
Suite 500  
Salt Lake City, UT 84116

**US & Canada**

Tel: 801.975.7200  
Fax: 801.303.5711

**International**

Tel: +1.801.975.7200  
global@clearone.com

**Sales**

Tel: 801.975.7200  
sales@clearone.com

**Tech Support**

Tel: 801.974.3760  
tech.support@clearone.com