ClearOne. Aura®

With Aura, Professionals can now Re-imagine their Workspaces at Home

CHAT® 150 USB Speakerphone



Speakerphone for any size home office. CHAT® 150 connects to PCs for rich, HDConference® audio and can be used with unified communications, Web collaboration, instant messaging, and any other applications requiring high quality full duplex audio.

Aura Professional Home Office Solution

Dramatically enhances the audio and video experience for any cloud-based video collaboration application for your professional home office




ClearOne

Highlights

- Distributed Echo Cancellation[®] and noise cancellation along with full-duplex performance and automatic level controls guarantee your conference calls to be natural with unmatched audio clarity free of any distractions.
- + Connect the CHAT[®] 150 or the CHATAttach[®] 150 to laptops & PCs via USB for handsfree audio.
- Compatible with popular applications such as COLLABORATE[®] Space, Microsoft[®] Teams, WebEx[™], Zoom[™], Google[®] Meet[™], and more.
- + FREE COLLABORATE[®] Space lifetime subscription ClearOne's high quality, award-winning cloud-based video collaboration application.
- First-mic priority intelligently activates only the microphone closest to the person speaking, preventing the amplification of ambient noise and room reflections.
- Daisy-chainable design can expand up to two complete speakerphones to cover medium-sized rooms. Full speakerphone expandability allows both mic and speaker to cover the entire room along with flexibility of control using any speakerphone.

Aura Professional Home Office Application

Complete your CHAT[®] 150 USB Speakerphone setup by adding other ClearOne Aura products





Specifications

+ AUR-156-200 CHAT® 150 USB and connecting cable

INCLUDES

+ Free COLLABORATE® Space lifetime subscription

AUDIO

- + Speaker
- Bandwidth: 190 Hz 20 kHz
- Max output level: 85 dB SPL @ 1 meter
- + Microphone
- Bandwidth: 100 Hz 12 kHz
- + Full-Duplex Acoustic Echo Cancellation (AEC)
- + Noise Cancellation (NC)
- + Automatic Level Control (ALC)

COMPATIBILITY

- + Windows 7 or higher
- + MAC OSx

INPUT/OUTPUT INTERFACE

- + USB Mini B port
- + Version 2.0 compatible
- + Keyed RJ-45 (8 conductor)

CONTROLS

- + Volume up
- + Volume down
- + Microphone mute

POWER

- + USB-powered
- + 5 VDC @ 500 mA Maximum

ENVIRONMENTAL

+ Operating temperature: 41° F - 104° F (5° C - 40° C)

MECHANICAL

- + Dimensions: (W x D x H): 7.4 x 7.4 x 1.8" (188 x 188 x 46 mm)
- + Weight: 1.17 lb (0.53 kg)

Sales & Inquiries -

Headquarters

5225 Wiley Post Way Suite 500 Salt Lake City, UT 84116

Headquarters US: +1.801.975.7200 International: +1.801.975.7200

Aura Sales

US: +1.888.HEY.AURA International: +1.801.975.7200 aurasales@clearone.com

Aura Tech Support

US: +1.888.HEY.AURA International: +1.801.975.7200 auratechsupport@clearone.com

Other product names and logos may be registered trademarks of their respective owners who do not necessarily endorse ClearOne or ClearOne's products. All rights reserved. Information in this document subject to change without notice. 802-156-003-DS Revision 2.2 20200930 ©2020 ClearOne.