

**ClearOne** Aura™

With **Aura**,  
Professionals can  
now **Re-imagine**  
their **Workspaces**  
at **Home**



## UNITE® 20 Pro Webcam



Pro Webcam with 100° ultra wide-angle field-of-view for use on your PC or laptop display. Delivers full HD 1080p30 video to serve as the foundation of your ultimate personal workspace

## Aura Professional Home Office Solution

Dramatically enhances the audio and video experience for any **cloud-based video collaboration** application for your **professional home office**




## Highlights

- ✦ Supports up to 1080p@30 Full HD.
- ✦ 100° ultra-wide angle field-of-view.
- ✦ Full-featured USB 2.0 interface, power supply, 2-channel USB video.
- ✦ Super-high SNR with advanced 2D and 3D noise reduction.
- ✦ Easily mounted on PC or laptop display.
- ✦ Use with PC or laptop and web conferencing applications such as ClearOne's COLLABORATE® Space, Microsoft® Teams, Zoom™, WebEx™, Google® Meet™, and others.
- ✦ FREE COLLABORATE® Space lifetime subscription — ClearOne's high quality, award winning cloud-based video collaboration application.
- ✦ Pair the new UNITE® 20 Pro Webcam with a ClearOne CHAT® 50 or CHAT® 150 USB speakerphone for the ultimate personal collaboration workspace for both high-quality video and audio.

## Aura Professional Home Office Application

Complete your **UNITE® 20 Pro Webcam** setup by adding other ClearOne Aura products



## Specifications

+ AUR-2100-020 UNITE® 20 Pro Webcam

### INCLUDES

+ Free COLLABORATE® Space lifetime subscription

### VIDEO

- + VIDEO FORMAT: 1080p@30fps/25fps, 720p30/25, 960x540p30/25, 640x360p30/25
- + Sensor: 1/2.7", CMOS, effective pixel: 2.07M
- + Scanning mode: Progressive
- + Lens: focus: f=2.8 mm, FOV: 100°
- + Focus mode: Auto Focus
- + Minimal illumination: 0.05 Lux @ (F1.8, AGC ON)
- + Shutter: 1/30 s – 1/10000 s
- + White balance: auto, indoor, outdoor, One-push, manual
- + Backlight compensation: supported
- + Digital noise reduction: 2D & 3D Digital Noise Reduction
- + Horizontal angle of view: wide angle up to 100°
- + Easy installation: equipped with damped rotary shaft bracket to fit almost any display, easy to install, stable and reliable

### AUDIO

+ Built-in microphone array

### COMPATIBILITY

- + Operating systems: Windows® 7 (1080p and under only), Windows 8.1, Windows 10 or higher, Linux, MAC OS™ 10.10 or higher, Google™ Chromebook™ Version 29.0.1547.70 or higher
- + 2.4 GHz Intel® Core 2 Duo processor or higher
- + 2 GB RAM or more
- + USB 2.0 port
- + Color system/compression: H.265 / H.264 / MJPEG
- + USB video communication protocol: UVC 1.0 ~ UVC 1.5 (optional)

### INPUT/OUTPUT INTERFACE

+ USB Interface: 1xUSB 2.0: Type A

### POWER

+ Input voltage: 5 V (USB power supply)

### ENVIRONMENTAL

- + Operating temperature: 14° F ~ 104° F (-10° C ~ 40° C)
- + Storage temperature: -40° F ~ 140° F (-40° C ~ 60° C)

### MECHANICAL

- + Dimensions (W x D x H): 4.65 x 1.46 x 1.21" (118 x 37.2 x 30.8 mm)
- + Weight: 0.21 lb (0.093 kg) without bracket, 4.41 lb (0.2 kg) with bracket

## Sales & Inquiries

### Headquarters

5225 Wiley Post Way  
Suite 500  
Salt Lake City, UT 84116

### Headquarters

US: +1.801.975.7200  
International: +1.801.975.7200

### Aura Sales

US: +1.888.HEY.AURA  
International: +1.801.975.7200  
aurasales@clearone.com

### Aura Tech Support

US: +1.888.HEY.AURA  
International: +1.801.975.7200  
auratechsupport@clearone.com