ClearOne

BYOD COLLABORATION

VISUAL COLLABORATION

COLLABORATE[®] Versa[™] 20



System including a UNITE[®] 20 Pro Webcam and a CHAT[®] 50 Personal Speakerphone with ClearOne's HDConference[®] audio technology and HD video.

- > CHAT[®] 50 Personal Speakerphone with advanced audio processing for a rich conferencing experience.
- > Use with PC or laptop and web conferencing applications Microsoft[®] Teams, Zoom[™], Webex[™], Google[®] Meet[™], and others.
- > One UNITE[®] 20 pro webcam 120-degree ultra-wide angle field-of-view, up to 1080p@30 Full HD, super-high SNR with advanced 2D and 3D noise reduction.



Rich Conferencing

Portable USB Personal Speakerphone, powered by ClearOne's market leading HDConference[™] audio, enhances web conferencing, unified communications and video conferencing experience in your personal workspace with crystal-clear audio for business-class performance.



Easy Installation

Equipped with damped rotary shaft bracket to fit almost any display, easy to install, stable and reliable.

APPLICATIONS

- Video Conferencing
- Audio Conferencina
- In-Room Presentation

WORKSPACES

- Executive Offices
- Small to mid-sized
- meeting rooms

Boardrooms

Great Ideas Need to Be Seen - and Heard!™




BYOD COLLABORATION

VISUAL COLLABORATION

COLLABORATE[®] Versa[™] 20

COLLABORATE Versa 20 using Laptop or Room PC



ClearOne

BYOD COLLABORATION

VISUAL COLLABORATION

COLLABORATE[®] Versa[™] 20

INCLUDES	 UNITE[®] 20 Pro Webcam CHAT[®] 50 Personal Speakerphone 		
UNITE 20 PRO WEBCAM			
VIDEO	 Video Format: 1080p @ 30fps/25fps, 720p30/25, 960 x 540p30/25, 640 x 360p30/25 Sensor: 1/2.7 ", CMOS, effective pixel: 2.07 M Scanning mode: Progressive Lens: focus: f=2.8 mm, FOV: 120° Minimal illumination: 0.05 Lux @ (F1.8, AGC ON) Shutter: 1/30 s - 1/10000 s White balance: auto, indoor, outdoor, One-push, manual Backlight compensation: supported Digital noise reduction: 2D & 3D 		
AUDIO	Built-in microphone array		
COMPATIBILITY	 Operating systems: Windows® 7 (1080p and under only) or higher, Linux, MAC OS[™] 10.10 or higher, Google[™] Chromebook[™] 29.0.1547.70 or higher 2.4 GHz Intel[®] Core 2 Duo processor or higher 2 GB RAM or more USB 2.0 port Color system/compression: H.265 / H.264 / MJPEG USB video communication protocol: UVC 1.0 - UVC 1.5 (optional) 		
INPUT/OUTPUT INTERFACE	• USB Interface: 1 x USB 2.0 : Type A		
POWER	 Input voltage: 5 V (USB power supply) 5 VDC @ 500 mA maximum 		
ENVIRONMENTAL	• Operating temperature: 14 °F - 104 °F (-10 °C - 40 °C)		
MECHANICAL	 Dimensions (W x D x H): 4.6 x 1.4 x 1.2 " (116.8 x 37.1 x 30.7 mm) Weight: 0.21 lbs (0.09 Kg) without bracket, 4.4 lbs (2.0 Kg) with bracket 		
SYSTEM REQUIREMENTS	• Windows 7 or higher, MAC OS 10.7 or higher		
CHAT 50 PERSONAL SPEAKERPHONE			
AUDIO	 Speaker: Bandwidth: 220 Hz - 14 kHz Max Output Level: 80 dB SPL @ 1 foot (0.30 meters) Microphone Bandwidth: 50 Hz - 7.75 kHz Full-Duplex Acoustic Echo Cancellation (AEC) Noise Cancellation (NC) Automatic Level Control (ALC) 		
COMPATIBILITY	 Audio: Windows 7, 8, 10, MAC OSX, Linux Software: Windows 7, 8, 10 		

ClearOne.

VISUAL COLLABORATION

COLLABORATE[®] Versa[™] 20

INPUT/OUTPUT INTERFACE	• USB Mini B port
CONTROLS	Volume UpVolume DownMicrophone Mute
POWER	 USB-powered 5 VDC @ 500 mA maximum
ENVIRONMENTAL	• Operating Temperature: 41 °F - 104 °F (5 °C - 40 °C)
MECHANICAL	 Dimensions (W x D x H): 3.8 x 4.1 x 1.8 " (96.5 x 104.1 x 45.7 mm) Weight: 0.55 lbs (0.25 Kg)
PART NUMBERS	 910-3001-020 Collaborate Versa 20 910-159-001 Chat 50 Personal Speakerphone 910-2100-020 UNITE 20 Pro Webcam

SALES AND INQUIRIES

Headquarters	US & Canada	International	Sales	Tech Support
5225 Wiley Post Way Suite 500 Salt Lake City, UT 84116	Tel: +1.801.975.7200	Tel: +1.801.975.7200	Tel: +1.801.975.7200 sales@clearone.com	Tel: +1.801.974.3760 audiotechsupport@clearone.com

Other product names and logos may be registered trademarks of their respective owners who do not necessarily endorse ClearOne or ClearOne's products. All rights reserved. Information in this document subject to change without notice. DST-0173-001 | V1-042623 | ©2023ClearOne.